Regulatory Peptides, 37 (1992) 342–343
© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Author index to volume 37

Akpan, J.O., Havel, P.J., Parry, S.J., Shalwitz, R.A. and Gingerich, R.L, The characterization of radioimmunoassay for rat pancreatic polypeptide in serum, 59

Amann, R., see Donnerer, J., 27

Arima, N., see Nakamura, A., 183

Arimura, A., Pituitary adenylate cyclase activating polypeptide (PACAP): discovery and current status of research, 287

Arnold, R., see Beckh, K., 205

Beckh, K., Mönnikes, H., Loos, S., Arnold, R. and Koop, H., Low hepatic clearance of peptide YY (PPY) in the perfused rat liver, 205

Bernard, C., see Herrmann, C., 123

Bomzon, A., see Shaffer, E.A., 15

Boor, P.J., see Tipnis, U.R., 227

Brown, B.L., see Rahman, S., 111

Buchan, A.M.J., see Houghton, P.E., 73

Buchanan, K.D., see McKay, D.M., 143

Bunning, R.A.D., see Rahman, S., 111

Calvo, J.R., see Segura, J.J., 195

Challis, J.R.G., see Houghton, P.E., 73

Chan, J.Y.H., see Fu, M.J., 167

Chan, S.H.H., see Fu, M.J., 167

Chayvialle, J.-A., see Herrmann, C., 123

Chiba, T., see Nakamura, A., 183

Creutzfeldt, W., see Höcker, M., 255

Cuber, J.-C., see Herrmann, C., 123

Davison, J.S., see Shaffer, E.A., 15

De Loof, A., see Schoofs, L., 237

De Loof, A., see Schoofs, L., 49

Dobson, P.R.M., see Rahman, S., 111

Donnerer, J., Schuligoi, R. and Amann, R., Time-course of capsaicin-evoked release of calcitonin gene-related peptide from rat spinal cord in vitro. Effect of concentratrion and modulation by Ruthenium Red, 27

Drakenberg, K., see Reinecke, M., 155

Du, B.-H., see Eng, J., 9

Eglezos, A., see Maggi, C.A., 85

Eng, J., Du, B.-H., Johnson, G.F., Kanakamedala, S., Samuel, S., Raufman, J.-P. and Straus, E., Cat gastrinoma and the sequence of gastrins, 9

Falmer, S., see Reinecke, M., 155

Fleshman, D.J., see O'Dorisio, M.S., 213

Fu, M.J., Lin, K.S., Chan, J.Y.H. and Chan, S.H.H., Participation of pertussis toxin-sensitive GTP-binding regulatory proteins in the suppression of baroreceptor reflex by neurotensin in the rat, 167

Fujita, T., see Nakamura, A., 183

Funakoshi, A., Tateishi, K., Tsuru, M. and Kono, A., Pertussis toxin non-sensitive G protein mediates cholinergic stimulation for secretion of pancreastatin and somatostatin from QGP-1N cells, 1

Fölsch, U.R., see Höcker, M., 255

Giachetti, A., see Maggi, C.A., 85

Gibbins, I.L., see Morris, J.L., 101

Gingerich, R.L., see Akpan, J.O., 59

Goberna, R., see Segura, J.J., 195

Guerrero, J.M., see Segura, J.J., 195

Habibi, H.R., Peter, R.E., Nahorniak, C.S., Milton, R.C. de L. and Miller, R.P., Activity of vertebrate gonadotropin-releasing hormones and analogs with variant amino acid residues in positions 5, 7 and 8 in the goldfish pituitary, 271

Halton, D.W., see McKay, D.M., 143

Havel, P.J., see Akpan, J.O., 59

Hayes, T.K., see Schoofs, L., 49

Herrmann, C., Cuber, J.-C., Bernard, C. and Chayvialle, J.-A., Cooperative effects of bombesin, substance P and metacholine on the release of intestinal neurotensin in rats, 123

Holman, G.M., see Schoofs, L., 237

Holman, G.M., see Schoofs, L., 49

Holmgren, S., see Morris, J.L., 101

Houghton, P.E., Buchan, A.M.J. and Challis, J.R.G., Ontogeny of the distribution and colocalization of Calbindin D_{28K} within neural and endocrine cells of the gastrointestinal tract of fetal and neonatal sheep, 73

Hwang, D.L., Lev-Ran, A., Yen, C.F. and Sniecinski, I., Release of different fractions of epidermal growth factor from human platelets

in vitro: preferential release of 140 kDa fraction, 95
Höcker, M., Schmidt, W.E., Creutzfeldt, W., Roy Choudhury, A., Nustede, R., Schafmayer, A. and Fölsch, U.R., Determination of plasma cholecystokinin (CCK) concentrations by bioassay and radioimmunoassay in man. A critical evaluation, 255
Johnson, G.F., see Eng, J., 9
Kanakamedala, S., see Eng, J., 9
Kono, A., see Funakoshi, A., 1
Koop, H., see Beckh, K., 205
Kummer, W., Ultrastructure of calcitonin gene-related peptide-immunoreactive nerve fibres in guinea-pig peribronchial ganglia, 135
Lax, H., see Shaffer, E.A., 15
Lev-Ran, A., see Hwang, D.L., 95
Lin, K.S., see Fu, M.J., 167
Loos, S., see Beckh, K., 205
Lovejoy, D.A., Stell, W.K. and Sherwood, N.M., Partial characterization of four forms of immunoreactive gonadotropin-releasing hormone in the brain and terminal nerve of the spiny dogfish (Elasmobranchii; *Squalus acanthias*), 39
Maggi, C.A., Eglezos, A., Quartara, L., Patacchini, R. and Giachetti, A., Heterogeneity of NK-2 tachykinin receptors in hamster and rabbit smooth muscles, 85
McKay, D.M., Shaw, C., Halton, D.W., Thim, L. and Buchanan, K.D., The primary structure and tissue distribution of an amphibian neuropeptide Y, 143
Millar, R.P., see Habibi, H.R., 271
Milton, R.C. de L., see Habibi, H.R., 271
Morris, J.L., Gibbins, I.L. and Holmgren, S., Galanin is more common than NPY in vascular sympathetic neurons of the brush-tailed possum, 101
Mönnikes, H., see Beckh, K., 205
Nachman, R.J., see Schoofs, L., 237
Nahorniak, C.S., see Habibi, H.R., 271
Nakamura, A., Yamatani, T., Arima, N., Yamashita, Y., Fujita, T. and Chiba, T., Calcitonin inhibits the growth of human gastric carcinoma cell line KATO III, 183
Nustede, R., see Höcker, M., 255
O'Dorisio, M.S., Fleshman, D.J., Qualman, S.J. and O'Dorisio, T.M., Vasoactive intestinal peptide: autrocrine intestinal peptide: autocrine growth factor in neuroblastoma, 213
O'Dorisio, T.M., see O'Dorisio, M.S., 213
Parry, S.J., see Akpan, J.O., 59
Patacchini, R., see Maggi, C.A., 85
Peter, R.E., see Habibi, H.R., 271
Proost, P., see Schoofs, L., 49
Qualman, S.J., see O'Dorisio, M.S., 213
Quartara, L., see Maggi, C.A., 85
Rahman, S., Dobson, P.R.M., Bunning, R.A.D., Russell, R.G.G. and Brown, B.L., The regulation of connective tissue metabolism by vasoactive intestinal polypeptide, 111
Raufman, J.-P., see Eng, J., 9
Reinecke, M., Drakenberg, K., Falmer, S. and Sara, V.R., Peptides related to insulin-like growth factor 1 in the gastro-entero-pancreatic system of bony and cartilaginous fish, 155
Roy Choudhury, A., see Höcker, M., 255
Russell, R.G.G., see Rahman, S., 111
Samuel, S., see Eng, J., 9
Sara, V.R., see Reinecke, M., 155
Schafmayer, A., see Höcker, M., 255
Schmidt, W.E., see Höcker, M., 255
Schoofs, L., Holman, G.M., Proost, P., Van Damme, J., Hayes, T.K. and De Loof, A., Locustakinin, a novel myotropic peptide from *Locusta migratoria*, isolation, primary structure and synthesis, 49
Schoofs, L., Tips, A., Holman, G.M., Nachman, R.J. and De Loof, A., Distribution of locustamyotropin-like immunoreactivity in the nervous system of *Locusta migratoria*, 237
Schuligoi, R., see Donnerer, J., 27
Segura, J.J., Guerrero, J.M., Goberna, R. and Calvo, J.R., Stimulatory effect of vasoactive intestinal peptide (VIP) on cyclic AMP production in rat peritoneal macrophages, 195
Shaffer, E.A., Bomzon, A., Lax, H. and Davison, J.S., The source of calcium for CCK-induced contraction of the guinea-pig gall bladder, 15
Shalwitz, R.A., see Akpan, J.O., 59
Shaw, C., see McKay, D.M., 143
Sherwood, N.M., see Lovejoy, D.A., 39
Sniecinski, I., see Hwang, D.L., 95
Stell, W.K., see Lovejoy, D.A., 39
Straus, E., see Eng, J., 9
Tateishi, K., see Funakoshi, A., 1
Thim, L., see McKay, D.M., 143
Tipnis, U.R. and Boor, P.J., Inhibition of polyamine synthesis impairs the secretion of atrial natriuretic peptide, 227
Tips, A., see Schoofs, L., 237
Tsuru, M., see Funokoshi, A., 1
Van Damme, J., see Schoofs, L., 49
Yamashita, Y., see Nakamura, A., 183
Yamatani, T., see Nakamura, A., 183
Yen, C.F., see Hwang, D.L., 95

Regulatory Peptides, 37 (1992) 344–346
© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Key word index to volume 37

AMP, cyclic; VIP; Rat peritoneal macrophage; Neuropeptide; Neuroimmunoregulation, 195

Airway ganglia; Airway innervation; Ultrastructural immunohistochemistry; Peptidergic nerve, 135

Airway innervation; Airway ganglia; Ultrastructural immunohistochemistry; Peptidergic nerve, 135

Atrial natriuretic peptide; Polyamine; DFMO, 227

Baroreceptor reflex; Neutensin, Guanine nucleotide-binding regulatory protein; Gi; Gp; Cholera toxin; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167

Bile secretion; Peptide YY; Rat liver; Perfusion; Glucose production, 205

Bombesin; Substance P; Metacholine; Potentiation; Neurotensin release; Rat, 123

Bombyx mori; Neuropeptide; Suboesophageal ganglion; Corpora allata; Insect brain; PBAN, 237

Brain peptide; GnRH; HPLC; Reproduction; Cartilaginous fish; Radioimmunoassay, 39

CCK; Gallbladder contraction; Calcium, 15

CCK bioassay; Plasma CCK; CCK radioimmunoassay; CCK receptor antagonist; Loxiglumide, 255

CCK receptor antagonist; Plasma CCK; CCK bioassay; CCK radioimmunoassay; Loxiglumide, 255

CCK radioimmunoassay; Plasma CCK; CCK bioassay; CCK receptor antagonist; Loxiglumide, 255

Calbindin D_{28K}; Colocalization; Gastrointestinal tract; Fetal and neonatal sheep; Endocrine cell; Nerve cell, 73

Calcitonin; Gastric cancer cell growth, 183

Calcium; Gallbladder contraction; CCK, 15

Capsaicin; Neuropeptide release; Dose–effect relationship, 27

Carassius auratus; GnRH; LHRH; Gonadotropin; Growth hormone; Receptor, 271

Carbachol; Pancreatic cancer cell line; Intracellular Ca^{2+} mobilization; Muscarinic receptor; Fluoride, 1

Cartilaginous fish; GnRH; Brain peptide; HPLC; Reproduction; Radioimmunoassay, 39

Cat; Gastrin; Gastrinoma, 9

Cholera toxin; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Gp; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167

Chondrichthyes; IGF-1; GEP-system; Osteichthyes; Phylogeny, 155

Colocalization; Calbindin D_{28K}; Gastrointestinal tract; Fetal and neonatal sheep; Endocrine cell; Nerve cell, 73

Connective tissue; Vasoactive intestinal polypeptide; Prostaglandin E_2; Rheumatoid arthritis, 111

Corpora allata; Neuropeptide; Suboesophageal ganglion; Insect brain; PBAN; *Bombyx mori*, 237

DFMO; Polyamine; Atrial natriuretic peptide, 227

Dose–effect relationship; Neuropeptide release; Capsaicin, 27

Endocrine cell; Calbindin D_{28K}; Colocalization; Gastrointestinal tract; Fetal and neonatal sheep; Nerve cell, 73

Epidermal growth factor; Platelet release, 95

European common frog (*Rana temporaria*); Neuropeptide Y; Primary structure; Immunocytochemistry; Peptide phylogeny, 143

Fetal and neonatal sheep; Calbindin D_{28K}; Colocalization; Gastrointestinal tract; Endocrine cell; Nerve cell, 73

Fluoride; Pancreatic cancer cell line; Intracellular Ca^{2+} mobilization; Muscarinic receptor; Carbachol, 1

Forskolin; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Gp; Cholera toxin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167

GEP-system; IGF-1; Osteichthyes; Chondrichthyes; Phylogeny, 155

Gallbladder contraction; Calcium; CCK, 15

Gastric cancer cell growth; Calcitonin, 183

Gastrin; Gastrinoma; Cat, 9

Gastrinoma; Gastrin; Cat, 9

Gastrointestinal tract; Calbindin D_{28K}; Colocalization; Fetal and neonatal sheep; Endocrine cell; Nerve cell, 73
Gi; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gp; Cholera toxin; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167
Glucose production; Peptide YY; Rat liver; Perfusion; Bile secretion, 205
GnRH; Brain peptide; HPLC; Reproduction; Cartilaginous fish; Radioimmunoassay, 39
GnRH; LHRH; Gonadotropin; Growth hormone; Receptor; *Carassius auratus*, 271
Gonadotropin; GnRH; LHRH; Growth hormone; Receptor; *Carassius auratus*, 271
Gp; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Cholera toxin; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167
Growth hormone; GnRH; LHRH; Gonadotropin; Receptor; *Carassius auratus*, 271
Guanine nucleotide-binding regulatory protein; Neutensin; Baroreceptor reflex; Gi; Gp; Cholera toxin; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167
HPLC; GnRH; Brain peptide; Reproduction; Cartilaginous fish; Radioimmunoassay, 39
HPLC; Neuropeptide; *Locusta migratoria*; Insect hindgut motility; Pancreatic icosapeptide, 49
IGF-1; GEP-system; Osteichthyes; Chondrichthyes; Phylogeny, 155
Immunocytochemistry; Neuropeptide Y; Primary structure; European common frog (*Rana temporaria*); Peptide phylogeny, 143
Immunohistochemistry; Vasoconstrictor neuron; Perivascular axon, 101
Insect brain; Neuropeptide; Suboesophageal ganglion; Corpora allata; PBAN; *Bombyx mori*, 237
Insect hindgut motility; Neuropeptide; *Locusta migratoria*; HPLC; Pancreatic icosapeptide, 49
Intracellular Ca^{2+} mobilization; Pancreatic cancer cell line; Muscarinic receptor; Fluoride; Carbachol, 1
LHRH; GnRH; Gonadotropin; Growth hormone; Receptor; *Carassius auratus*, 271
Locusta migratoria; Neuropeptide; Insect hindgut motility; HPLC; Pancreatic icosapeptide, 49
Loxiglumide; Plasma CCK; CCK bioassay; CCK radioimmunoassay; CCK receptor antagonist, 255
Metacholine; Bombesin; Substance P; Potentiation; Neurotensin release; Rat, 123
Muscarinic receptor; Pancreatic cancer cell line; Intracellular Ca^{2+} mobilization; Fluoride; Carbachol, 1
N-Ethylmaleimide; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Gp; Cholera toxin; Forskolin; Pertussis toxin; Phorbol ester; Rat, 167
NK-2 receptor subtype; Tachykinin; Tachykinin receptor; Tachykinin antagonist, 85
Nerve cell; Calbindin D_{28K}; Colocalization; Gastrointestinal tract; Fetal and neonatal sheep; Endocrine cell, 73
Neuroblastoma; Vasoactive intestinal peptide; Tumor, 213
Neuroimmunoregulation; VIP; Rat peritoneal macrophage; AMP; cyclic; Neuropeptide, 195
Neuropeptide release; Capsaicin; Dose–effect relationship, 27
Neuropeptide; *Locusta migratoria*; Insect hindgut motility; HPLC; Pancreatic icosapeptide, 49
Neuropeptide Y; Primary structure; European common frog (*Rana temporaria*); Immunocytochemistry; Peptide phylogeny, 143
Neuropeptide; VIP; Rat peritoneal macrophage; AMP; cyclic; Neuroimmunoregulation, 195
Neuropeptide; Suboesophageal ganglion; Corpora allata; Insect brain; PBAN; *Bombyx mori*, 237
Neurotensin release; Bombesin; Substance P; Metacholine; Potentiation; Rat, 123
Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Gp; Cholera toxin; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167
Osteichthyes; IGF-1; GEP-system; Chondrichthyes; Phylogeny, 155
PACAP; Review, 287
PBAN; Neuropeptide; Suboesophageal ganglion; Copora allata; Insect brain; *Bombyx mori*, 237
Pancreatic cancer cell line; Intracellular Ca^{2+} mobilization; Muscarinic receptor; Fluoride; Carbachol, 1
Pancreatic icosapeptide; Neuropeptide; *Locusta migratoria*; Insect hindgut motility; HPLC, 49
Pancreatic polypeptide; Rat; Specific radioimmunoassay, 59
Peptide YY; Rat liver; Perfusion; Glucose production; Bile secretion, 205
Peptide phylogeny; Neuropeptide Y; Primary structure; European common frog (*Rana temporaria*); Immunocytochemistry, 143
Peptidergic nerve; Airway ganglia; Airway innervation; Ultrastructural immunohistochemistry, 135

Perfusion; Peptide YY; Rat liver; Glucose production; Bile secretion, 205
Perivascular axon; Vasoconstrictor neuron; Immunohistochemistry, 101
Pertussis toxin; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Gp; Cholera toxin; Forskolin; *N*-Ethylmaleimide; Phorbol ester; Rat, 167
Phorbol ester; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Gp; Cholera toxin; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Rat, 167
Phylogeny; IGF-1; GEP-system; Osteichthyes; Chondrichthyes, 155
Plasma CCK; CCK bioassay; CCK radioimmunoassay; CCK receptor antagonist; Loxiglumide, 255
Platelet release; Epidermal growth factor, 95
Polyamide; DFMO; Atrial natriuretic peptide, 227
Potentiation; Bombesin; Substance P; Metacholine; Neurotensin release; Rat, 123
Primary structure; Neuropeptide Y; European common frog (*Rana temporaria*); Immunocytochemistry; Peptide phylogeny, 143
Prostaglandin E_2; Vasoactive intestinal polypeptide; Connective tissue; Rheumatoid arthritis, 111
Radioimmunoassay; GnRH; Brain peptide; HPLC; Reproduction; Cartilaginous fish, 39
Rat liver; Peptide YY; Perfusion; Glucose production; Bile secretion, 205
Rat peritoneal macrophage; VIP; AMP, cyclic; Neuropeptide; Neuroimmunoregulation, 195
Rat; Bombesin; Substance P; Metacholine; Potentiation; Neurotensin release, 123
Rat; Neutensin; Baroreceptor reflex; Guanine nucleotide-binding regulatory protein; Gi; Gp; Cholera toxin; Forskolin; Pertussis toxin; *N*-Ethylmaleimide; Phorbol ester, 167
Rat; Pancreatic polypeptide; Specific radioimmunoassay, 59
Receptor; GnRH; LHRH; Gonadotropin; Growth hormone; *Carassius auratus*, 271
Reproduction; GnRH; Brain peptide; HPLC; Cartilaginous fish; Radioimmunoassay, 39
Review; PACAP, 287
Rheumatoid arthritis; Vasoactive intestinal polypeptide; Prostaglandin E_2; Connective tissue, 111
Specific radioimmunoassay; Rat; Pancreatic polypeptide, 59
Suboesophageal ganglion; Neuropeptide; Corpora allata; Insect brain; PBAN; *Bombyx mori*, 237
Substance P; Bombesin; Metacholine; Potentiation; Neurotensin release; Rat, 123
Tachykinin; Tachykinin receptor; NK-2 receptor subtype; Tachykinin antagonist, 85
Tachykinin receptor; Tachykinin; NK-2 receptor subtype; Tachykinin antagonist, 85
Tachykinin antagonist; Tachykinin; Tachykinin receptor; NK-2 receptor subtype, 85
Tumor; Vasoactive intestinal peptide; Neuroblastoma, 213
Ultrastructural immunohistochemistry; Airway ganglia; Airway innervation; Peptidergic nerve, 135
VIP; Rat peritoneal macrophage; AMP; cyclic; Neuropeptide; Neuroimmunoregulation, 195
Vasoactive intestinal polypeptide; Prostaglandin E_2; Connective tissue; Rheumatoid arthritis, 111
Vasoactive intestinal peptide; Neuroblastoma; Tumor, 213
Vasoconstrictor neuron; Perivascular axon; Immunohistochemistry, 101